

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	11671	configur\$5 with (region or block or segment or area or partition) with (size)	US-PGPUB; USPAT	ADJ	ON	2005/11/02 09:26
L5	3600	(711/170 or 711/171 or 711/172)	US-PGPUB; USPAT	ADJ	ON	2005/11/02 09:26
L6	169	L4 and L5	US-PGPUB; USPAT	ADJ	ON	2005/11/02 09:26
L8	447	configur\$5 with (region or block or segment or area or partition) with (size) near6 stor\$3	US-PGPUB; USPAT	ADJ	ON	2005/11/02 09:34
L9	34	L8 and L5	US-PGPUB; USPAT	ADJ	ON	2005/11/02 09:26
L10	2054	(regions or blocks or segments or areas or partitions) near4 (size) near4 stor\$3	US-PGPUB; USPAT	ADJ	OFF	2005/11/02 09:35
L11	2415	(regions or blocks or segments or areas or partitions) near4 (size) near4 stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:38
L12	153	L11 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:36
L13	779	size adj2 (regions or blocks or segments or areas or partitions) near4 stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:40
L14	62	L13 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:38
L15	30	size adj2 (regions or blocks or segments or areas or partitions) near4 stor\$3 near6 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:43

L16	0	((regions or blocks or segments or areas or partitions) near3 size) with stor\$3 with table (access near3 (type or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:43
L17	0	((regions or blocks or segments or areas or partitions) near3 size) with stor\$3 with table near6 (access near3 (type or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:44
L18	3	((regions or blocks or segments or areas or partitions) near3 size) with stor\$3 with table near6 (access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:45
L19	0	((regions or blocks or segments or areas or partitions) near3 size) with stor\$3 with table with (access near6 (type or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:44
L20	11	((regions or blocks or segments or areas or partitions) near3 size) with stor\$3 with table with (access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:48
L21	1565	((regions or blocks or segments or areas or partitions) near6 size near6 indicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:48
L22	202	(indicat\$3 adj2 size adj2 (regions or blocks or segments or areas or partitions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:54
L23	5	(indicat\$3 adj2 size adj2 (regions or blocks or segments or areas or partitions)) and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:50

L24	14	(indicat\$3 adj2 size adj2 (regions or blocks or segments or areas or partitions)) and 711/???	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:52
L25	2	(indicat\$3 adj2 size adj2 (regions or blocks or segments or areas or partitions)) near6 stor\$4 near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:56
L26	227	size adj2 (regions or blocks or segments or areas or partitions) near6 stor\$4 near6 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/02 09:57
S1	3600	(711/170 or 711/171 or 711/172)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 09:59
S2	7535	configur\$5 with (region or block or segment or sector or page or track) with (size)	US-PGPUB; USPAT	ADJ	ON	2005/11/02 09:25
S4	2713	(configur\$5 adj6 (region or block or segment or sector or page or track)) with (size)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:13
S5	82	S4 and S1	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:03
S6	40	(configur\$5 adj6 (region or block or segment or sector or page or track)) with (size) with access	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:20
S7	844	342/357.12	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:20
S8	0	S2 and S7	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:21
S9	253206	configur\$5 with (region or block or segment or sector or page or track)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:25
S10	99	S7 and S9	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:22
S11	18782	configur\$5 with (region or block or segment or sector or page or track) with (type or access)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:23
S12	5	S7 and S11	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:23
S13	91912	configur\$5 adj6 (region or block or segment or sector or page or track)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:32
S14	37	S7 and S13	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:28

S15	19563	(375/13? or 375/14? or 375/15? or 375/316 or 375/317 or 375/318 or 375/319 or 375/32? or 375/33? or 375/34? or 375/350 or 375/351 or 375/352 or 375/353)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:32
S16	621	S13 and S15	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:32
S17	3971	configur\$5 adj6 (region or block or segment or sector or page or track) with type	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:32
S18	21	S15 and S17	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:33
S19	452	455/12	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:34
S20	0	S2 and S19	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:36
S21	12917	370/?????	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:36
S22	76	S2 and S21	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:36
S23	11	S17 and S22	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:39
S24	1529	382/305	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:39
S25	12	S2 and S24	US-PGPUB; USPAT	ADJ	ON	2005/11/01 10:42
S26	1	"6930634".pn.	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:08
S27	1938	711/147	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:08
S30	175989	(region or block or segment or sector or partition) with (size)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:11
S31	121805	(region or block or segment or sector or partition) near6 (size)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:11
S32	9312	(region or block or segment or sector or partition) near6 (size) with stor\$3	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:27
S33	119	S27 and S32	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:19
S34	78	(region or block or partition) near6 (size) with (stor\$4 near4 header)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:31
S35	24	(region or block or partition) near8 (size) near8 (stor\$4) with ((processor or cpu) near6 access)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:36
S36	23	(configurable adj3 memory) same (region or block or partition) near6 (size)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:40

S37	0	(configurable adj3 memory) same (region or block or partition) near6 (size) near10 stor\$4	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:45
S38	2	(configurable adj3 memory) with (region or block or partition) with (size) with stor\$4	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:49
S39	8	(configurable adj3 memory) with ((processor\$3 or cpu) near8 mode)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:55
S40	2	(configurable adj3 memory) with (signal adj3 processing)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:56
S41	4	(configurable adj3 memory) same (signal adj3 processing)	US-PGPUB; USPAT	ADJ	ON	2005/11/01 11:56
S42	1742	size near6 memory near6 stor\$3 near6 (region or block or segment or partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:02
S43	155	size near6 stor\$3 near6 (region or block or segment or partition) near6 access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:04
S44	29281	711/???	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:02
S45	49	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:02
S46	121	size near6 stor\$3 near6 (region or block or segment or partition) near6 header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:04
S47	115	(size near6 (region or block or segment or partition)) with (stor\$3 near6 header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:07

S48	1	(size near6 (region or block or segment or partition)) with (stor\$3 near6 header) and 711/147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:06
S49	5	(size near6 (region or block or segment or partition)) with (stor\$3 near6 header) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:06
S50	24	(size near6 (region or block or segment or partition)) with (stor\$3 near6 header near6 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:10
S51	1024	(region or block or segment or partition) with ((attribute or characteristic) near6 (stor\$3 near6 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:11
S52	5	S27 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:13
S53	21	S1 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:15
S54	7994	(memory or block or region or partition or segment) adj6 stor\$3 adj6 (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:18
S55	5871	(memory or block or region or partition or segment) adj6 stor\$3 adj6 (configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:18

S56	106	(memory or block or region or partition or segment) adj6 stor\$3 adj6 (configuration) with size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:19
S57	2	(memory or block or region or partition or segment) adj6 stor\$3 adj6 (configuration) with (size and ((processor or cpu) near6 access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:21
S58	89	size near6 (memory or blocks or regions or partitions or segments) adj6 stor\$3 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:22
S59	110	size near6 (blocks or regions or partitions or segments) adj6 stor\$3 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:22
S60	413	size near6 (blocks or regions or partitions or segments) adj6 stor\$3 adj6 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:22
S61	172	size adj3 (blocks or regions or partitions or segments) adj6 stor\$3 adj6 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:25
S63	91	size adj3 (blocks or regions or partitions or segments) adj3 stor\$3 adj3 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:26
S64	24	size adj3 (blocks or regions or partitions or segments) adj3 stor\$3 adj3 (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/01 13:37

S65	16866	(time-multiplex\$3 or time multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/01 13:40
S66	78	(time-multiplex\$3 or time multiplex\$3) and (receiv\$3 near4 discrete near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:47
S67	2	(time-multiplex\$3 or time multiplex\$3) and (continuously near4 receiv\$3 near4 discrete near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:44
S68	7	(time-multiplex\$3 or time multiplex\$3) same (receiv\$3 near4 discrete near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:46
S69	4	(time-multiplex\$3 or time multiplex\$3) with (process\$4 near4 discrete near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:48
S70	699	(time-multiplex\$3 or time multiplex\$3) with (process\$4 near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:53
S71	10	(time-multiplex\$3 or time multiplex\$3) with (process\$4 near4 signal) with discrete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:50
S72	105	(process\$4 adj4 signal) adj4 (time-multiplex\$3 or time multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:50

S73	37	(process\$4 adj4 signal) adj4 (time-multiplex\$3 or time multiplex\$3) and discrete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:56
S74	1	(time-multiplex\$3 or time multiplex\$3) with (process\$4 near4 binary near4 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:53
S75	31	(process\$4 adj4 signal) adj4 (time-multiplex\$3 or time multiplex\$3) and discrete and continuously	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:57
S76	2	10/762852	US-PGPUB	ADJ	ON	2005/11/01 14:20
S77	1	"20050050293"	US-PGPUB	ADJ	ON	2005/11/01 14:21
S78	1	S77 and (access\$3 near15 manner)	US-PGPUB	ADJ	ON	2005/11/01 14:51
S80	3724	365/222	US-PGPUB; USPAT	ADJ	ON	2005/11/01 14:56
S81	7883	(blocks or regions or partitions or segments) near6 stor\$3 near6 access	US-PGPUB; USPAT	ADJ	ON	2005/11/01 15:25
S82	100	S80 and S81	US-PGPUB; USPAT	ADJ	ON	2005/11/01 14:56
S83	6081	(blocks or regions or partitions or segments) near6 stor\$3 near6 size	US-PGPUB; USPAT	ADJ	ON	2005/11/01 15:25
S84	43	S80 and S83	US-PGPUB; USPAT	ADJ	ON	2005/11/01 15:34
S85	1244	(stor\$3 near4 (configuration adj3 (blocks or segments or partitions or regions or areas)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 15:36
S86	67	(stor\$3 near4 (configuration adj3 (blocks or segments or partitions or regions or areas))) with size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 15:36
S88	1	"20050050293"	US-PGPUB	ADJ	ON	2005/11/02 08:23